

2020 BUYER'S GUIDE

FASTENERS ANCHORING SYSTEMS SECURITY SAFETY POWER TOOLS CUTTING TOOLS & ABRASIVES HAND TOOLS LIFTING & RIGGING METAL FRAMING SYSTEMS



800 456-2658

email: sales@tannerbolt.com



- We offer a diverse product line of fasteners, anchors, fall protection systems and tools
- We are known nationwide for our specialty line of security fasteners and anchors
- We are a "Safety First" supplier featuring code-compliant concrete anchors for strength design, fall and drop protection systems & a wide array of personal protective equipment (PPE)





Customizable Online




Tanner Ships Nationwide

In addition to serving the greater NYC metropolitan area with our warehouse and showrooms in Brooklyn and Maspeth;

- We ship daily via UPS
- We accept Visa, MasterCard, American Express, and Discover card




- online accounts
- 5% discount on all online orders for **Registered Users**
- Complete purchase history stored online so you can review your purchases
- Forecast future product needs, and reorders
- Create a running shopping list, and then place the order to maximize




your discounts and minimize freight charges

Our Newest Location









800 456-2658

email: sales@tannerbolt.com





METAL & CONCRETE SCREWS Fasteners

GLOBALLY SOURCED

Hex Washer Head

The state of the s



Standard Drill Screws





Self-drilling fasteners eliminate separate drilling and tapping operations for faster, more economical installations.



Specifications:

- Diameters: #8 to 5/16"
- Lengths: 1/2" to 4"
- Drill Points: Drilit®forged or Drilltite®dual-processed
- Drive Systems: Hex and phillips
- · Material: Carbon steel
- Finishes: Stalgard® coating or zinc
- Stalgard coating provides 1000 hours of salt spray resistance (per ASTM B117)



Drilit® Drill Screws w/Bonded Sealing Washers

This economical line of drill screws provides a weather-tight seal for protection against the elements.



Specifications:

- Diameters: #10 to 1/4"
- Lengths: 3/4" to 4"
- Head Styles: Hex washer
- Drive System: Hex
- Point Types: #1 to #5
- · Material: Carbon steel
- Finish: Stalgard® coating





Drill Screws w/Extended Drilling Capacity



This line of heavy-duty drill screws is designed to speed installation in steel applications up to 1/2" thick.

Specifications:

- Diameters: #12 and 1/4"
- Lengths: 7/8" to 8" Drilling Capacity
- · Head Style: Hex washer
- Drive System: Hex
- · Material: Carbon steel
- Finish: Silver Stalgard® coating



These self-drilling fasteners eliminate separate drilling and tapping operations for faster installation in wood-to-metal applications.

Specifications:

- Diameters: #10 to 1/4"
- Lengths: 3/4" to 3-15/16"
- Head Styles: Flat and wafer
- Drive System: Phillips
- Point Styles: Types 3 and 4
- Material: Carbon steel
- Finishes: Gray Stalgard® coating





Pan Phillips Head

Oval Phillips Head

Hex Washer Head

(h....

410 Stainless Steel

18.8 Stainless Steel

18.8 Stainless Steel

410 Stainless Steel

Flat Phillips Head Undercut 410 Stainless Steel

Pan Phillips Head 410 Stainless Steel







800 456-2658

email: sales@tannerbolt.com



FLEX FLOORY

Elco Construction Products group has developed a family of products that utilize Flex Technology to incorporate high performance and virtual immunity to delayed embrittlement failures. Using special alloy materials that receive proprietary heat treatments and tempering processes, the Flex **Technology** line of products far surpasses any standard fastening format available. It allows designers and system manufacturers to manage their risk and enhance the performance of critical connections.

All Flex Technology products also feature Stalgard durable, multi-layer, corrosion-resistant coatings. These environmentally-friendly coatings are free of chromates and silicates and any process that might induce hydrogen embrittlement.

Typical Applications

- Dissimilar metal applications
- · Windows, doors and skylights
- Building enclosures/envelopes (curtain wall systems, stone facades, insulated metal panels)
- Blast protection systems
- Solar panel racking support systems

The Flex Technology Product Line

For Metal Applications

Dril-Flex® Structural Drill Screws Tap-Flex® Structural Tapping Screws Bi-Flex® 300 Series Stainless Steel Self-Drilling Fasteners

For Concrete Applications

Aggre-gator® 300 Series Stainless Anchors

For Aluminum Applications

Alumi-Flex™ Stainless Steel Drill Screws

Stalgard™ Protective Coatings

Stalgard® high-performance protective coatings provide consistent, high corrosion resistance in construction applications. Stalgard® durable, multi-layer, corrosion-resistant coatings are engineered to provide optimal performance in demanding construction applications. These environmentally-friendly finishes are free of chromates and silicates and any process, like electroplating, that might induce hydrogen embrittlement, preventing structural failures.

STALGARD

Stalgard Coating for Induction

Heat-Treated Fasteners

- Proven, outstanding corrosion resistance for most construction applications, including metal & wood
- Salt spray resistance: 1000 hours per ASTM B117
- · Colors: silver, black, blue, white, yellow, red, gray & brown

STALGARD GB

Stalgard GB (Galvanic Barrier) Coating

- Standard on all Elco stainless steel fasteners
- Prevents a galvanic reaction between the stainless steel and dissimilar application materials, which could lead to fastener and/or joint failure
- Salt spray resistance: 1000 hours per ASTM B117
- Available color: Silver

STALGARD SUB

Stalgard SUB Ultimate Barrier Coating

- For more severely-corrosive environments
- Salt spray 2,000 hours per ASTM B117
- Available color: Silver









Structural Drill Screws



Lower-hardness

Higher-hardness

(HRC 28-52 min.)

(HRC 28-34)

load-bearing

section

provides

ducility





Dril-Flex®

Dual heat treated drill screws provide the strength, ductility and resistance to embrittlement required for critical applications.

Specifications:

- Diameters: #10 to 5/16"
- Lengths: 3/4" to 4"
- Head/Drive Styles: Hex washer, phillips pan, wafer, undercut flat the load bearing area should be
- Point Types: #3, #4 and #5
- · Material: Alloy steel
- Heat Treat: Grade 5
- Finish: Silver Stalgard® or Stalgard® SUB coating



* For aluminum only

IMPORTANT:

To ensure optimum performance, only engagedin the material to be fastened



Hex Washer Head



finish provides

corrosion

resistance





drill point and lead threads for reliable drilling





Stainless Steel Screws

Alumi-Flex[™] 302 (18.8)

Stainless steel drill screws provide strength and corrosion resistance in a variety of aluminum applications.

Specifications:

- Diameters: #10 to 1/4"
- Lengths: 1/2" to 1-1/2"
- Head Style: Hex washer
- Drive System: Hex
- Point Types: #3 and #4 Material: 302 stainless steel
- Finish: Stalgard® GB (Galvanic Barrier) coating



The head marking consists of the number "3" below the Elco® logo as shown



Flat head



Hex washer head

800 456-2658

email: sales@tannerbolt.com





METAL & CONCRETE SCREWS Fasteners



Stainless Steel Self Drilling Screws



Bi-Flex[™] 300 Series

Bi-metal technology provides outstanding corrosion resistance and long service life.Bi-Flex™



300 series stainless steel head and shank Silver-colored Stalgard® GB coatina

Fused and hardened steel drill point

· Quick and easy installation into structural steel

and aluminum up to 1/2" thick

300 series stainless steel and efficiency of drill screws.

Specifications:

• Diameters: #10 -1/4"

fasteners provide the

corrosion resistance of

- Lengths: 3/4" to 8"
- · Head/Drive Styles: Hex washer, phillips pan, pancake head, flat head, wafer and undercut flat
- Drive Systems: Hex and phillips
- Material: Hardened steel tapping threads and point fused onto an 18-8 stainless steel shank and head
- Finish: Stalgard® GB (Galvanic Barrier) coating





washer head

Tap-Flex

The head marking consists of the number "3" below the Elco® logo as shown



Aggre-Gator®300 Series Stainless Concrete Anchors



The corrosion resistance of 300 series stainless steel in a threaded concrete anchor, Aggre-gator® anchors provide



unmatched corrosion resistance in demanding applications, such as those in coastal or wet areas.

Specifications:

- Diameter: 1/4"
- Lengths: 1-3/4" to 4"
- Heads: Hex washer and TrimFit® flat
- · Material: 300 (18-8) stainless steel head and shank with fused and hardened steel tapping threads and gimlet point
- Finish: Silver-colored Stalgard® GB (Galvanic Barrier) coating

Structural Thread-Forming Screws



Increased thread engagement with strength and ductility. Feature a unique thread profile to ease installation and increase performance


Specifications:

- Diameters: 3/8", 1/2", & 5/8"
- · Length: Up to 5"
- · Head Style: Hex washer
- · Threads: E-Form® five-lobe thread forming
- · Material: Alloy steel
- Finish: Silver Stalgard® SUB coating
- Heat Treat: Grade 5; meets ASTM A449 specifications (120 KSI strength)



Enhanced Thread Design:

Tap-Flex screws are threadformers with the patent-pending E-form® segmented thread profile. This design improves both installation and in-place E-Form® Profile performance:



Bi-Metal Technology Provides Unmatched Performance

· Head and shank made of 300 series (18-8) stainless steel alloy to provide unmatched corrosion resistance in your toughest applications

· Fused and hardened steel tapping threads make installation easy and hold tight in block and poured concrete

head and shank Fused and

300 series

stainless steel

hardened steel tapping threads and drill point

 Coated overall with silver-colored Stalgard GB, a galvanic barrier to protect aluminum components from accelerated corrosion when in contact with 300 series stainless steel.



800 456-2658

email: sales@tannerbolt.com



High Performance Screws

From our Commercial Fastener Division Tanner offers an array of off-the shelf fasteners in a wide range of diameters, lengths, materials and finishes. Tanner also provides the following value added services for our customers:

Bin Services

- Maintain inventory and ensure immediate availability of product
- Reduces costs for in-house inventory handling
- Products are inspected and certified to your specifications

Blanket Orders

- Ensures your parts are available and delivered on demand
- We stock your high usage items for Just In Time delivery

Mill Orders

• Reduces your cost on high volume items, and we schedule them for stock and release

Product Traceability

• Complete traceability available through our electronic tracking system.

Kitting and Custom Packaging

· Custom packaging and labeling and kitting of parts to your specifications

Same Day Shipping, Local Daily Deliveries

Need specialty parts?

If you need special fasteners manufactured from a drawing at the lowest cost possible in a timely manner, then you have come to the right place.

Our experienced, knowledgeable sales staff will provide real cost effective solutions locating and providing hard-to-find fasteners for your non-standard fastener requirements.

Self-Drilling Screws.





Metal Fastening

- Standard Drill Screws
- Drill Screws w/Extended Drilling Capacity
- Drilit® Drill Screws w/Bonded Sealing Washers
- Wood-To-Metal Reamers
- Dril-Flex® Structural Drill Screws
- Bi-Flex[™] 300 Series Stainless Steel
- Alumi-Flex[™] 302 (18-8) Stainless Steel
- Architectural Roof Clip Fasteners
- X Metal Screws, Sheathing-To-CFS Screws,
- Auto Feed Screw Driving Systems

Masonry Fastening System







- UltraCon®, UltraCon® SS4 410 Stainless Concrete Screws
- Crete-Flex® SS4 Heat-Treated Concrete Screws
- Aggre-Gator® 300 Series Stainless Bi-Metal Fasteners
- ConFlex® Large Diameter Concrete Screw Anchors

High-Performance Screws



- Tap-Flex[™] Structural Thread-Forming Screws
- Type A, AB, B
- Thread Cutting Type 1, 23, 25, F
- Thread Rolling- Plas-Fix®45, Plastite®, Taptite® Alternate

Deck & Wood Working Screws



SIMPSON

- Strong Drive® Structural Wood Screws
- **Deck Screws**
- Wood Working Screws
- Post Frame Screws

Drywall & Multi-Purpose Screws

- K-Lath Sharp Point, Pan Framing
- Coarse & Fine Drywall Screws

Screw Driving Bits

- Hex Insert Bits, Magnetic Bit Holders
- Impact Ready Accessories



Hex Cap Screws

- Grade 2, 5, 8, Coarse & Fine Threads, Plated
- 8.8, 10.9, 12.9 Metric
- 18.8, 316, Premium High Strength A4 Fasteners

Bolts





- Hanger, Eyebolts w/Nuts, Carriage, Lag, Elevator Bolts
- Flange, Frame, Plow, Step Bolts
- Serrated Flange Screws, Threaded Rod
- A325 Structural Bolts, Tension Control Bolts, Weld Studs
- BOXBOLT[™] Expansion Anchors for Structural Steel
- Anchor Bolts, U Bolts
- B-7 Bolts & Studs

Washers & Nuts

- Flat, Fender, Machine Screw, Square Beveled
- Medium Split Lock Washers, Tooth Lock
- Finished Hex Grade 2,5,8, Heavy Hex Nuts Grade 2H, DH
- Grade C All Metal, Jam, Serrated Flange Nuts
- Coupling, Kep, Machine Screw Nuts
- Acorn Cap, Cold Forged Wing Nuts
- Nylon Insert Lock Nuts- Light & Heavy Hex

Screws

- · Pan Phillips, Pan Combo, Flat Phillips, **Hex Washer Slot Sheet Metal Screws**
- Hex Washer Slot Self-Piercing Screws,
- Round Combo, Pan Phillips, Pan Combo Flat Phillips, Flat Phillips Undercut Machine Screws
- 3/8" Flat Phillips Wood Screws

Fab-Lok® Fasteners



FAB-LOK High strength fastener for blind fastening to light gauge steel

Stainless Steel & Non-Ferrous Fasteners

Tanner offers an extensive selection of standard and metric fasteners manufactured from stainless steel and other non-ferrous materials including anchors, bolts, hex cap screws, nuts, rivets, screws, socket products, studs, washers, and much more.

- Type 304
- Type 316 • 410
- · Silicon Bronze.
 - Brass
- Aluminum



email: sales@tannerbolt.com





Fasteners/Metal Framing

Focus on Fasteners

Bucket Of Bolts™

Tanner offers its trademarked Bucket Of Bolts specifically developed with the contractor in mind. Our best

selling fasteners and anchors are packaged in 3-1/2 gallon plastic pails with a sturdy handle and re-useable screw type top. The Tanner bucket prevents product loss at the jobsite due to spillage and broken cardboard boxes. Custom buckets can be made upon request.

- Tap Bolts
- Self-Drilling Screws
- Finished Hex Nuts
- Hex Coupling Nuts
- Hex Lag Bolts
- Sheet Metal Screws
- Machine Screws
- Flat, Fender and Lock Washers
- Sleeve Anchors
- Frame Fixing Anchors

- Concrete Screws
- 3/8" Flat Phillips Wood Screws
- Double Expansion Shields
- Lag Shields
- · Zamac Nailin Drive Pin Anchors
- Toggle Bolts
- Plastic Anchors

Rivets

- Blind Rivets
- Structural Rivets
- Rivet Tools
- Rivet Nuts
- · Rivet Nut Tools & Kits



Socket Products

- Socket Head Cap Screws
- Set Screws
- Flat Socket Cap Screws
- Button Socket Cap Screws
 Socket Shoulder Cap Screws
- Dowel Pins
- Socket Pipe Plugs

Pins

- Cotter Clevis
- Spring
- Dowel Taper
- · Retaining Rings

Cable & Wire Management

Cable & Stainless Steel Ties, Cable Mounts, Wire Connectors, Support Webbing



Nord-Lock®

Bolt Securing System



Plastic Structural Shims

- Horseshoe
- U Shaped
- Keyslot
- Stack
- Flat Plate Wedge
- Rugged Construction

Metal Framing Systems

Tanner carries a full line of strut products that include channel, clamps, nuts, inserts, fittings, braces, brackets, bases, PLUS pipe hangers, beam clamps, roller supports, clamps, brackets, threaded accessories, nuts, bolts, fittings and brace.

Channels

1-5/8" Width

Designed to carry the heaviest loads and provide

the widest variety of applications, the 1-5/8" series is the accepted standard for use in mechanical, electrical and general construction applications where supports and attachments must meet the highest strength requirements. Standard lengths are 10 and 20 feet.

Packaged individually or 50 per bundle. Finishes;

Pre-Galvanized Hot-Dip Galvanized **Powder Coating**



Channel Nuts

With/Without Springs

For use with

For use with

Channel 4100

For use with Channels

1000, 4100, 5000

For usewith

Channel 5000

Channel Nuts are cold pressed, Channels 1000,4100 punched, tapped, and hardened so their teeth will provide a positive "biting" action into the inturned edges of the channel section. The nut bodies are designed with beveled ends which lock into position by contact with the interior side walls of the channel when turned 90 degrees.

Finish:

Electro-Galvanized

This type of coating is recommended for use indoors in relatively dry areas. The steel is submersed in a bath of zinc salts, through the process of electrolysis, a coating of pure zinc adheres to the steel with a molecular bond. A maximum of .5

mills of zinc can be applied using this method. SC1 (Mild) has a Zinc coating of 0.2 MIL and is recommended for dry indoor use. SC1 is the standard finish thickness.

Pipe Clamps

Pipe clamps are designed for the support of electrical and mechanical services. Design load data is based on ultimate strength of the connection with a safety factor of 5.0.

Many items are also available in stainless steel, please consult a Tanner customer service representative for ordering information.

Finish;

Electro-Galvanized

Rigid Steel Conduit



Thinwall Conduit (EMT)



Rigid or Thinwall Conduit



Copper Tubing Clamps



General Fittings

Flat Plate Fittings

Angle Fittings

"Z" Shape Fittings

"U" Shape Fittings




Post Bases



Beam Clamps

Special Application Fittings

Seismic Retrofit Fittings





800 456-2658

email: sales@tannerbolt.com

Security Products TAMPER-RESISTANT



Security Products We are The Security Specialists

Tanner is a full-line distributor of high quality tamper-resistant fasteners, anchoring systems, sealants and tools. For the past 30 years Tanner has assisted customers in a wide range of industries to secure their valuable assets and property.

Secure-Bolt®



Sleeve Anchors



Sleeve Anchors



Screw Anchors

- Provides maximum security in concrete, block, brick and stone base materials.
- Button and Flat Head Torx®/6-Lobe **Tamper-Resistant Drive**
- 1/4", 3/8", 1/2", 5/8" diameters, up to 7" length
- Two material configurations:
- · Stainless Steel Post with Steel Zinc Plated Anchor Body
- · Stainless Steel Post with Stainless Steel Anchor Body

Trident Nut Secure-Bolt




- Zamac 5 Alloy Steel Nut with Steel Zinc Plated Anchor Body
- · 316 Stainless Steel Nut with 304 Stainless Steel Anchor Body



High-strength vibration-resistant carbon steel anchor.

- The steel threads along the anchor body self tap into the hole during installation and provide positive keyed engagement.
- Button Torx® Tamper-Resistant Drive Available sizes:
- 3/8" x 3" and 1/2" x 3"



Break-Away **Tamper-Resistant Security Nuts**

- · After tightening to the proper torque, the hex head breaks off leaving a conical shaped tamper-resistant nut.
- ZAMAC 5 zinc alloy- #10-24 through 5/8"-11,6mm through 12mm
- 304 Stainless Steel- 1/4"-20 through 5/8"-11

Trident¹

Tamper-Resistant Security Nuts

- · Conical design with three indented slots that prevent unauthorized removal.
- Manufactured from ZAMAK 5 zinc allow and 316 Stainless Steel
- #10-24 through 1/2"-13
- 5/8"-11 Low Profile Jam Nut
- 6mm, 8mm, and 10mm
- · Large diameters available upon request
- Tapped oversize to accept hot dip galvanized fasteners upon request

Wedge-Bit[™]

 For proper performance, the Secure Wedge-Bolt anchors must be installed with a Wedge-Bit. The Wedge-Bit has a special matched tolerance range designed to provide optimum performance for the anchor.

The Secure Wedge-Bolt® anchor is versatile and can be used in

anchor types and learn a variety of installation procedures.

a variety of base materials. This reduces the need to stock assorted

DESCRIPTION	USABLE LENGTH
SDS 3/8" x 6"	4"
SDS 3/8" x 8"	6"
SDS 1/2" x 6"	4"
SDS 1/2" x 10"	8"

Ultracon®



Torx®/Tamper-Resistant

Masonry Screws

- Offers optimal performance in concrete, brick and hollow block applications
- Button and Flat Head Torx® **Tamper-Resistant Drive**
- Silver Stalgard® coating for superior corrosion
- Available sizes: 1/4" diameter up to 3-1/4" length

Trident[™] Nut

Installation Sockets

 Available in 3/8" square and 7/8" socket drive



6-Lobe

Self-Drilling Screws

- Case Hardened Steel, Zinc Plated Button Head; #8 x 1/2" through 1/4"-28 x 1" Flat Head; #8 x 1/2" through #14 x 2" Oval Head: #6 x 1-1/4" and #8" x 1-1/4"
- Hardened 410 Stainless Steel Pan Head; #6 x 3/8" through 1/4"-20 x 2" Flat Head; #6 x 1/2 through #14" x 3"

Sheet Metal Screws

- Case Hardened Steel, Zinc Plated Button Head; #6 x 1/2" through #14 x 3" Flat Head; #6 x 1/2" through #14 x 2"
- Stainless Steel Button Head; #6 x 1/2" through #14 x 2" Flat Head; #6 x 1/2 through #14 x 2"

Cap Screws

· Alloy Steel, Zinc Plated Button Head; #6-32 x 3/8" through 1/2"-13 x 3'

Flat Head; #6-32 x 3/8" through 1/2"-13 x 1" Stainless Steel

Button Head; #4-40 x 1/4" through 1/2"-13 x 4" Flat Head; #6-32 x 1/4" through 3/8"-16 x 3"

 18.8 Stainless Steel Metric Button Head; M3-0.5 x10MM through M6-1.0 x 60MM Flat Head; M3-0.5 x 6MM through M6-1.0 x 60MM

800 456-2658

email: sales@tannerbolt.com

www.tannerbolt.com



Torx[®]/Tamper-Resistant



TAMPER-RESISTANT Security Products

5-LOBE

Cap Screws

- Button and Flat Head
- Alloy Steel Black Finish #6-32 through 1/4"-20
- Stainless Steel #6-32 through 1/4"-20



Break-Away Bolts Tamper-Resistant

- Round and flat head bolts in size range 3/8"-16 through 3/4"-10
- · Ideal for high security applications where removability is not required
- Bolts are installed with standard wrenches
- Parts are made-to-order based on customer specifications including dimensions, material, finishes, and torque tightening requirements

Penta Head Bolts

18.8 Stainless Steel

- · Five-point head tamper-resistant bolt
- Manufactured in 3/8" and 1/2" diameters up to 4" in stock
- · Custom sizes and materials available
- Installation sockets in stock

PECORA Tramper-Resistant Security Sealans

DYNAFLEX™ SC Polyurethane STPU

- Available in 10.1 oz. cartridges in two colors: limestone and tru-white
- More flexible than epoxy in composition
- Designed to achieve high tensile and tear strengths, abrasion resistance and an average ultimate hardness of at least 55, yet withstand 25% total joint movement Applications:
- Fixture perimeters: lights, mirrors, sinks, etc.
- Door perimeters:
- Frame to wall, gypsum, concrete block
- Window perimeters: Frame to wall, gypsum, concrete
- Glazing: Glass or Plexiglass to frame
- Exterior expansion joints in building facades: Masonry, Precast, Block, Concrete
- Interior seams: Steel, Stainless Steel, Masonry, Window Frames, and Fixtures



Undercut Cap Screws

- · Flat Head
- Alloy Steel Black #10-24 x 1/4" through 1/4"-20 x 1/2
- Stainless Steel #6-32 x 1/4" through 1/4"-20 x 1/2"



Spike[®]

Pre-Expanded Anchors

- · Patented, one-piece, tamper-proof vibration resistant anchor for use in concrete, block, brick or stone.
- Formed with an "S" shaped configuration at the working end
- Anchor is pre-expanded, no secondary tightening operation required
- When subjected to vibratory loads, the Spike[®] expands due to the residual spring action of the expansion mechanism

Available in three configurations:


- Mushroom Head Grade 8.2 Carbon Steel, Zinc Plated
- Flat Head Grade 8.2 Carbon Steel, Zinc Plated
- Mushroom Head Type 316 Stainless Steel

PECORA

Tamper-Resistant Security Sealants

DYNAPOXY™ EP-1200 Two-Part Epoxy

- "Pick-proof" rigid, two-part, epoxy resin compound
- · Excellent joint sealant for high security areas where a harder material is required and flexibility is less important
- Outstanding adhesion to similar or dissimilar materials, particularly in concrete and metal
- 1-1/2 gallon unit (346.5 cu. in.) (5.7 liters)



1. Window Perimeter -2. Non-Moving Fixtures -Pecora DynaFlex™ SC Pecora DynaPoxy™ EP-1200

Torx Plus[®]/Tamper-Resistant

Sheet Metal Screws

- Button and Flat Head
- Case Hardened Black Finish #6 through #14
- Stainless Steel #6 through #14




Tamper-Resistant

Tamper-Resistant


Tamper-Resistant

Trident Screws



· Machine Screws; Case Hardened Zinc Plated

One-Way Screws



Round Head-Zinc Plated, 18.8 Stainless Steel Oval Head- Zinc Plated

 Sheet Metal Screws Round Head and Oval Head Zinc Plated, 18.8 Stainless Steel

Spanner Screws

· Machine Screws:

18.8 Stainless Steel Flat, Flat Undercut, Oval, Pan Head

 Metric Machine Screws; 18.8 Stainless

 Sheet Metal Screws; 18.8 Stainless Steel Pan, Flat, Oval Head

Pan, Flat Head

Pin-In Socket Screw

Button, Flat Head



 Metric Machine Screw; 18.8 Stainless


Button, Flat Head **Sheet Metal Screws:** 18.8 Stainless Steel

Button, Flat Head

Tanner stocks a full line of installation tools



Tamper-Resistant







Anchors



		STRU	CTUR	AL	Al	VC	HC	R	SI	EL	EC	TI	ON	GUIDI
DEWALT. ENGINEERED BY POWERS			Ancher			ICC-ES Approval				000	0	UL	FM	Hilli Similar
ADHESIVE AI	NCHORS	Description	Anchor Diameter	Concrete	Cracked Concrete	Seismic	Post-Installed Rebar	Concrete- filled Metal Deck	Grouted Masonry	Ungrouted Masonry	Unreinforced Masonry	Listing	Approval	Hilti Similar Product
Pure110+®	Electronic Electronic State of	1-to-1 and 3-to-1 Cartridge - Epoxy Anchor	3/8" - 1-1/4" #3 - #10 Rebar	ESR-3298	ESR-3298	ESR-3298	ESR-3298							RE 500 V 3
Pure50+™	Pure50+ E	1-to-1 Cartridge - Epoxy Anchor	3/8" - 1-1/4" #3 - #10 Rebar	ESR-3576	ESR-3576	ESR-3576								RE 500 SD RE 100
AC200+™	AC200+3	10-to-1 Cartridge Hybrid Anchor	3/8" - 1-1/4" #3 - #10 Rebar	ESR-4027	ESR-4027	ESR-4027	ESR-4027							HY 200
AC100+ Gold®	ACTOO-Gold	10-to-1 Cartridge - Vinylester Anchor	3/8" - 1-1/4" #3 - #10 Rebar	ESR-2582	ESR-2582	ESR-2582			ESR-3200	ESR-3200	ESR-4105			HY 100 HY 70
EXPANSION A	ANCHORS								100,000			_		
Power-Stud®+ SD1		Carbon Steel Wedge-Anchor	1/4" - 1-1/4"	ESR-2818	ESR-2818	ESR-2818		ESR-2818	ESR-2966			File No. EX1289	FM File No. 3059197	Kwik Bolt 3 (KB3) KBV-TZ
Power-Stud®+ SD2		High Performance Carbon Steel Wedge-Anchor	3/8" - 3/4"	ESR-2502	ESR-2502	ESR-2502		ESR-2502				File No. EX1289	FM File No. 3059197	Kwik BoltTZ
Power-Stud®+ SD4	-1	304 Stainless Steel Wedge-Anchor	1/4" - 3/4"	ESR-2502	ESR-2502	ESR-2502						EX1209	3033191	Kwik Bolt 3 (KB3) KB TZ SS
Power-Stud®+ SD6		316 Stainless Steel Wedge-Anchor	1/4" - 3/4"	ESR-2502	ESR-2502	ESR-2502								Kwik Bolt 3 (KB3) KB TZ SS
SCREW ANCH	HORS .													
Screw-Bolt+™	مفرف فرفون فرفون سيا	High Performance Screw Anchor	1/4" - 3/4" (CS and MG)	ESR-3889	ESR-3889	ESR-3889		ESR-3889	ESR-4042					KH-EZ / KWIK
SPECIALTY A Atomic+ Undercut®	NCHORS	Undercut Anchor	5/8" - 1-1/8" (Rod size 3/8" - 3/4")	ESR-3067	ESR-3067	ESR-3067								HDA Undercut
Power-Bolt®+		Heavy Duty Sleeve Anchor	1/4" - 3/4" (CS) 1/4" - 1/2" (SS)	ESR-3260	ESR-3260	ESR-3260								HSL-3
MEP HANGEI	R ANCHORS					Will I							⟨FM⟩	
Snake+®		Rod Hanger / Screw Anchor	1/4" - 1/2"	ESR-2272	ESR-2272	ESR-2272		ESR-2272					File No. 3059197	No Similar Produc
Hangermate®+ (Concrete)	بمدندندندن	Rod Hanging Anchor	1/4" - 3/8"	ESR-3889	ESR-3889	ESA-3889		ESA-3889					Fla No. 3059197	KH-EZI
Mini-Undercut+™		Rod Hanger for PT and Hollow Plank	3/8"	ESR-3912	ESR-3912	ESR 3912							FM File No. 3059197	No Similar Produc
Bang-It+®	(acceptance)	Speciality Cast-In-Place	1/4" - 3/4"			ESA-3657		ESA-3657				File No.	FM File No. 3059197	HCI-MD KCS-MD
Wood- Knocker+®ll		Speciality Cast-In-Place	1/4" - 3/4"	ESR-3657	ESR-3657	ΕSR-3657						File No. EX1289	FM File No. 3059197	HCI-WF KCS-WF
DDI+™ (Deck Insert)		Thread Insert for Composite Steel Deck	3/8" - 3/4"			ESA-3958		ESR-3958				File No EX1289	File No. 3059197	No Similar Produc

Verify scope of approval relative to intended application. The information and data contained within this documentis current as of March 1, 2018 and is subject to change after such date. DEWALT reserves the right to change the designs, merials and specifications of the products in this document without noticeand shall have no liability with respect to such changes.

800 456-2658

email: sales@tannerbolt.com





Mechanical Anchors

















Carbon Steel Body/Expansion Clip





Carbon Steel Body & Stainless Steel Clip



CODE LISTED

ICC-ES ESR-2502

Cracked & Uncracked

Power-Stud®+SD4

Type 304 Stainless Steel Body & Type 316 Stainless Steel Clip



Type 316 Stainless Steel Body & Clip



WEDGE EXPANSION ANCHORS

Power-Stud®

Type 304 & 316 Stainless Steel



Power-Stud® HD5

Hot-Dip Galvanized



Domestic Wedge Anchor

Carbon Steel

Type 303 Stainless Steel Type 316 Stainless Steel



FRAME FIXING EXPANSION ANCHORS

Nylon Frame

Nylon with Steel Screw, Countersunk Head*



S-Plug -Nylon Expansion Fixing



SLEEVE ANCHORS

Lok-Bolt

Hex Nut, Carbon & Stainless Steel



Acorn Nut, Carbon & Stainless Steel



Round Head, Slotted, Carbon & Stainless Steel



Flat Head, Combo Drive, Carbon & Stainless Steel*



Threshold, Carbon Steel



Rod Hanger, Carbon Steel





Extenders, Carbon Steel



ECONOMY SLEEVE ANCHORS



Hex Nut, Carbon Steel*



Acorn Nut, Carbon Steel*



HEAVY DUTY SLEEVE ANCHORS





CODE LISTED

ICC-ES ESR-3067

Cracked & Uncracked Concrete

CODE LISTED

ICC-ES ESR-3067


CODE LISTED

Carbon Steel, Flat Head





UNDERCUT ANCHORS

















HIGH PERFORMANCE SCREW ANCHORS

Screw-Bolt+[™]

Hex Head, Steel Zinc Plated, Mechanically Galvanized





Hex Head, 316 Stainless Steel



Wedge-Bit"

SDS-Plus, Spline, SDS-Max, HD Straight Shank



800 456-2658

ELECT.

email: sales@tannerbolt.com



Mechanical Anchors (cont.)

CONCRETE SCREW ANCHORS

Tapper+

Hex Washer Head, Flat Phillips Head, Blue Perma-Seal





CODE LISTED ICC-ES ESR-3213





Tapper+ Xtreme

Hex Washer Head, Hex Trim, Flat Phillips, Flat Phillips-Silver Perma-Seal












Hex Washer Head, Flat Phillips Head, 410 Stainless Steel







MASONRY FASTENERS

UltraCon+®

Slotted Hex Washer Head, Phillips Flat Head, Hex Flange Head, Hex Head w/Oversized Washer, TrimFit® Hex Head, TrimFit® Flat Head Blue, Silver, White, Bronze Stalgard® Finish









Crete-Flex® SS4

410 Stainless

#14 Diameter — Silver Stalgard® Finish Hex Washer Head, Hex Flange Head, Flat Phillips Head







STALGARD

Stalgard Coating for Induction **Heat-Treated Fasteners**

- Proven, outstanding corrosion resistance for most construction applications, including metal and wood
- Salt spray resistance: 1000 hours per ASTM B117
- · Colors:

silver, black, blue, white, yellow, red, gray & brown

ROD HANGING SYSTEMS

Hangermate®+

For Concrete:

Internal & External Thread



Hangermate®+

For Wood:

Vertical, Horizontal, Acoustical Ceiling Screw Eyelet



For Steel:

Vertical, Horizontal, Acoustical Ceiling Screw Eyelet



Rotational Head-Concrete, Steel & Wood





Mini-Undercut+1

Internally Threaded Undercut Anchor



CODE LISTED ICC-ES ESR-3912

CODE LISTED

ICC-ES ESR-2272

BOLT & SHIELD ANCHORS

Snake+

Internally Threaded Screw Anchor

Strength Design Carbon Steel, Zinc Plated





Smart DI+™

All Steel Dropin Anchor-Easy Installation Carbon Steel, Zinc Plated





Steel Dropin™

303 & 316 Stainless Steel



BOLT & SHIELD ANCHORS

Flanged (Lipped)

Carbon Steel, Zinc Plated



CODE LISTED ICC-ES ESR-3889 CONCRETE

Mini Dropin¹¹

Carbon Steel, Zinc Plated



Hollow-Set Dropin¹¹

Zamac Body w/Carbon Steel Cone Zamac Body w/Stainless Stee Cone



Double¹

Expansion Shields, Zamac Alloy*



*Available in Tanner "Bucket of Bolts"!



Lag Shield[™] Anchor

Short & Long, Zinc Alloy



Machine Bolt Anchor

Antimonial Lead Alloy Body/Zamac Alloy Cone



Calk-In¹¹

PIN & IMPACT ANCHORS

Zamac Nailin®

Zamac Alloy Nail Anchor

Mushroom Head with Carbon Steel Nail Mushroom Head with Stainless Steel Nail



Flat Head with Carbon Steel Nail



Nylon Nailin

Engineered Plastic Nail Anchor

Round & Flat Head, Carbon Steel Nail Mushroom Head, Carbon & Stainless Steel Nail









Carbide Drill Bits

POWDER ACTUATED FASTENING SYSTEMS

High Impact Full Head SDS+

3/16"x 4-1/2" through 1/2"x 24" sold individually and bulk packs



High Impact 4 Cutter SDS+

5/8" x 10" through 1-1/8" x 18"



2 Cutter SDS+

5/32"x 4" through 1-1/8"x 8" sold individually, bulk packs and sets



2 Cutter SDS Max

1/2" and 9/16" diameters



4 Cutter SDS Max

5/8"x 13-1/2" through 2"x 22-1/2"

2 Cutter Spline

3/8"x 10" through 2"x 22"



4 Cutter Spline

5/8"x 10" through 2"x 22"

Rebar Cutters SDS+ Shank



2 Cutter Percussion Bits

1/8" x 3" through 1" x 12" sold individually, bulk packs and sets

One and Two Piece Core Bits

SDS Max and Spline Drives



Heavy Duty Chisels

SDS Max



Chemical Anchors

INJECTION ADHESIVES

AC100+Gold"

AC100+Gold

2-Component Vinylester Adhesive Anchoring System



CODELISTED ICC-ES ESR-4027

CODE LISTED ICC-ES ESR-3576

CODE LISTED

AC200+

2-Component High Strength Adhesive Anchoring System



Pure50+

2-Component Epoxy Injection Adhesive

Anchoring System



Pure110+"

2-Component High Strength Epoxy Injection Adhesive Anchoring System




GLASS CAPSULE ADHESIVES

Hammer-Capsule®

Drive-In Capsule Adhesive



ADHESIVE TOOLS ACCESSORIES





Mixing Nozzles



Hole Cleaning Tools



Stainless Steel Screen Tubes

EXPANSION FOAMS

Powerfoam¹¹

Single Component, Moisture Curing Expanding **Polyurethane Foam**



Triggerfoam Pro™ *Fireblock*

One-Part Polyurethane Expanding Foam



Designed to block the spread of smoke and flame in Type V residential construction



Triggerfoam Pro[™] *Window/Door*

One-Part Polyurethane Expanding Foam



CODE LISTED



Triggerfoam Pro™ *All Season*

One-Part Polyurethane Expanding Foam

With extended temperature range



Triggerfoam Pro™*Standard*

One-Part Polyurethane Expanding Foam



ADHESIVE SEALANTS

Powerstick™

One-Component Universal Adhesive/Sealant



TRIGGERFOAM PRO™ ACCESSORIES







Light Duty Anchors

WALLBOARD ANCHORS

Zip-It[®] *& Zip-It[®] Jr.

One-Piece Self-Drilling Anchor

Zinc

*Available in Tanner "Bucket of Bolts"!



Zip-It[®] *& Zip-It[®] Jr.

Nylon



*Available in Tanner "Bucket of Bolts"!



Wall-Dog

All Steel, One-Piece Screw Anchor

Combo Hex Washer Head



Phillips Oval Head Phillips Pan Head





Sleeve Type Hollow Wall Anchor

Combo Slotted Phillips Head

Combo Slotted Hex Head



Hollow Wall Anchor



Scru-Lead¹¹

Lead Alloy Wall Anchor



Plastic Wall Anchor*



*Available in Tanner "Bucket of Bolts"!



Round Combo Head*



*Available in Tanner "Bucket of Bolts"!



Toggle Wings



Snaptoggle

Heavy Duty Toggle Bolt



Alligator

All-Purpose Wall Anchors

Flush Mount

Flanged Mount



Direct Fastening

GAS FASTENING SYSTEMS

Trak-It® C5 Tools



Trak-It® C5 Fuel Cells



Trak-It® C5 Battery



Straight .102" Pins



Straight .145" Pins



Structural Pins for Concrete and Steel



Specialty Tapered Short Pins



Electrical & Mechanical Fastening Systems

Stainless Steel Sealing Washer



Insulation Washer

Mini Conduit Clip

Denz-Tight[™] Pin Washer

Rod Hanger

Conduit Clip One Hole Strap

Bridal Ring

POWDER ACTUATED FASTENING SYSTEMS

Powder-Actuated Fastening Tools

Semi-Automatic Tools

P3500/PA3500



Sniper Pole Tool



.300" Head Drive Pins

Standard Pins with 0.145" **Shank Diameter**



.300" Head Drive Pins w/Top Hat





Ballistic Point Drive Pins

.300" Head Drive Pins (Mechanically Galvanized)



8MM Spiral CSI Pins

Domed Head Pins / 0.157" Shank Diameter



Threaded Studs

1/4"-20 Threaded Studs



3/8"-16 Threaded Studs



CODE LISTED

.300" Head Drive Pins w/Ceiling Clips



Powder Loads

.22 Caliber "A" Single Loads



.25 Caliber 10 Load Strips



.27 Caliber 10 Load Strips



.27 Caliber 10 Load Safety Strip













Drop Tool Protection

Falling Objects: Protecting Your Workplace From Falling Tools

unreported.

According to the Bureau of Labor Statistics, there are more than 42,400" struck by falling object" OSHA recordable incidents every year in the United States. By our estimate, that's nearly 116 injuries caused by falling objects every day or one injury caused by a dropped object every 10 minutes. And this only accounts for OSHA recordable incidents; it does not take into account accidents from fallen objects that go


Many heavy manufacturing organizations have deployed fall protection programs for workers, but many of these same organizations have not deployed a thoughtful drop prevention program for tools and equipment. Expanding a fall protection program to include tools and equipment is a good starting point for

fall protection for tools program and expand on the mission to encourage an inclusive culture of safety.

Tanner is a "Safety First" supplier;

- featuring code compliant anchors for strength design;
- fall protection and tool drop protection products
- a wide array of personal protective equipment (PPE).





Two Primary Types of Falling Objects Incidents

For example, a tool weighing only eight pounds falling from a height of 200 feet will travel at a speed of approximately 80 miles per hour and can have an impact force of 5,540 lbs. when it impacts the ground. Resulting from this impact, safety nets and drop zones are of little benefit when an object of mass and speed makes a direct impact or deflects off of another object.

Falling objects are such a concern throughout the world and in all



types of industries that it was even the focus of World Steel Association's World Steel Safety Day for 2017 and continues to be one of the top five causes of injury, which means it still should be top of mind and a priority when it comes to protecting your worksite.

A dropped wrench, hammer or even a walkie-talkie can be extremely

en ly

damaging to your fellow workers engaged in heavy manufacturing, transportation, metal working. It can be even worse for heavier tools that are frequently used in these or other types of industries.

Please contact a Tanner customer service representative for further details.



800 456-2658

email: sales@tannerbolt.com





Personal Protective Equipment



SAFETY HELMETS

K//K

KASK specializes in the development, design and manufacturing of the highest quality safety helmets available on the market today. For superior quality, backed by rigorous quality testing, choose KASK to ensure complete satisfaction and safety.

Zenith Safety Helmets

Zenith Safety Helmets are more than just a helmet; they are a fully equipped head protection kit. Developed with the higher than higher th

head protection kit. Developed with the highest protection standards and offering the highest level of comfort and versatility, it's hard to find a better safety helmet than the Zenith. KASK is proud to have their Zenith Helmets receive the iF Design Award and the Red Dot Design Award.



Superplasma Safety Helmets

SuperPlasma HD Helmets are

lightweight, compact & amazingly comfortable.

The well-ventilated helmet, features 10 air intakes with protective aluminum anti-intrusion grills to deflect debris and water. The high-density ABS plastic outer shell is designed to withstand impact from either the side or above.



PROTECT YOUR HANDS
Tanner offers a wide range of Seamless
Cut-Resistant gloves and sleeves.

Cut Resistant Gloves

Work Gloves

Leather Palm Gloves

Disposable Liquid-Proof Gloves









OSHA Silica: Know the drill.

OSHA's silica construction standard is already in effect. Is your crew protected?

Workers who are exposed to respirable crystalline silica dust are at increased risk of developing serious silica-related diseases. It's estimated that more than 2.3 million workers in the United States are potentially exposed to dust containing crystalline silica - with nearly 90% of those workers employed in the construction industry.

OSHA's standard requires employers to take steps to protect workers from exposure to respirable crystalline silica.

Disposable Respirators and Half Face Reusable Respirators. APF10 (Assigned Protection Factor)



Cartridges & Filters





Ear Plugs



Knee Pads/Back Support Belts





First Aid Kits





Safety Vests, T-Shirts,

Heat Stress Management,
Sweatshirts, Winter Jackets,

Pants, Winter Liners & Headwear,

Rain Gear,

Arc & Flame Resistant Apparel,
Disposable Protective Coveralls,
Welding Supplies

Sians

6000



Tanner now offers National Marker Signs, a leader in safety communication products. NMC manufactures high-quality safety identification signs to help keep the world a safer place. When you order a National Marker Sign, you are guaranteed to get the most durable, high-quality sign in the industry. Every NMC sign is protected by their trademarked, Sign Muscle™, liquid laminate. Sign Muscle™ is chemical / UV resistant, graffiti / scratch proof and ready to stand up to the most severe environments.

Traffic & Parking General Safety
Fire & Exit Production

Confined Space Hazards
Warehouse/Shipping Health & Safety







800 456-2658

email: sales@tannerbolt.com



Fire Protection Products

3M is the industry leader in firestopping. Dedication to stringent testing and code developments help make buildings safer today than they were even 10 years ago. And when that dedication is backed by a brand as powerful as 3M, you get what you would expect - proven reliability and outstanding service. The construction industry is increasingly moving toward easy-to-use firestop solutions. That's why 3M, in its leadership role, provides cutting-edge and fully integrated systems. These systems are designed to help you efficiently build safer buildings that protect lives and property. The majority of 3M's firestopping innovations are tested on-site in the company's own UL, ULC, FM and Intertekcertified fire-test center. By testing these systems in jobspecific conditions, we help you with high-quality, effective firestopping solutions

SERVICE PENETRATION

Devices

Fire barrier devices offer an effective one-piece solution for the firestopping of penetrating items through rated walls and floors. During a fire, these devices intumesce to form a seal, which helps protect against the spread of fire, smoke and toxic gases. Fire barrier devices are easy to install and are designed to take the guess-work out of firestopping.3M Fire Barrier Devices offer a simple, and in a majority of cases caulk-free, code compliant alternative to complicated caulk systems. Plus, some have the added benefit of retrofit firestop capabilities, which means fewer hassles after buildings are occupied.

Fire Barrier Pass-Through Devices

 Code-compliant devices designed for easy installation and re-enterability – perfect for firestopping structures where electrical, data and communication cables or plumbing pipes pass through fire-rated floors and walls

Fire Barrier Pass-Through Mounting Brackets

Use for wall or floor mounting applications

Fire Barrier Cast-In Devices

- Designed to make firestopping through concrete easy and affordable
- Installed prior to the concrete pour (attaching directly to the wood forms) and can be adjusted to various concrete depths
- Available to accommodate plastic or metallic pipe.

SEALANTS

Firestop & Watertight

Fire Barrier Sealants

 Firestops through penetrations passing through fire-rated floor, floor/ceiling or wall assemblies, as well as other fire-rated interior building partitions and assemblies

Fire Barrier Watertight Sealants

Achieve the benefits of firestopping and a watertight seal in one application

- Provides excellent adhesion on most construction surfaces, including: concrete, gypsum, metal, plastic, wood and insulation
- Ideal for the following interior construction voids: blank openings, metallic pipes, non-metallic pipes, cables, cable trays, insulated pipes, busways, combos

CONSTRUCTION JOINT FIRESTOP SOLUTIONS

FireDam¹¹



 Spray coating is a quick and easy method for firestopping fire rated construction joints, including: head-of-wall, wall-to-wall, floor-to-floor and

perimeter joint



FireDam[™]150+ Sealant Tested and approved for single metallic pipe penetrations and construction joints

FireDam™Watertight Sealant 1000 NS

Non-slumping silicone with up to 3-hour fire protection

SPECIALTY PRODUCTS

Fire Barriers

Fire Barrier Plastic Pipe Device

 Use for firestopping penetrating items such as plastic pipe and cables in new and retrofit installations

Fire Barrier Tuck-In Wrap Strips

 Designed for use with PVC, PE and PP plastic pipes penetrating through concrete floors, block and concrete walls, and gypsum stud walls. Wrap Strip easily slides into annular space and is topped with 3M[™] Fire Barrier IC 15 WB+ and 3M[™] Fire Barrier FB3000WT

Fire Barrier Self-Locking Pillows

 Interlocking strips hold pillows securely together yet release easily for retrofit or reuse -

just remove and replace pillows as needed

Fire Barrier Pillows

· Self-contained, highly intumescent

pillows are designed to firestop a wide variety of through-penetrations including cable trays, conduit and blank openings

Fire Barrier CS-195+Composite Sheet



 Ideal for fire-stopping blank openings and throughpenetrations of multiple cables, pipe ducts and cable trays

Fire Barrier Moldable Putty MP+ Sticks & Pad

 Designed to firestop a wide variety of through

penetrations, including: cable, conduit, insulated pipe and metal pipe

800 456-2658

email: sales@tannerbolt.com





Fire Protection Products





Fire and Water Barrier Tape

- Provides fire, water and smoke protection in construction and perimeter joints
- · Broad temperature range when applying
- Works as acoustic barrier by minimizing noise transfer
- High tack adhesive sticks to many common building materials
- Acts as an immediate barrier to water leakage

3M[™] Fire & Water and Smoke & Sound Tapes

Now, There's a Better Way

Put down the sprayer and get to work with revolutionary, fast-installing 3M™ Fire and Water Barrier Tape and 3M™ Smoke and Sound Tape. They're tested and listed with both UL and Intertek to ASTM E2307, E1966 and *E814, and they meet the International Building Code.* The only products on the market that use patentpending 3M technology to provide instant fire, water, smoke and sound protection in convenient tape form. Use it on a variety of construction joints and throughpenetration applications. No tools needed. No sprayers to clean or repair. No mess and less hassle. Available in 2", 4", 8", 12" widths and 75' lengths



Smoke and Sound Tape

- · Acts as barrier to smoke and airborne sound in wall and floor assemblies
- · Minimizes smoke and sound transfer between rooms and floors
- High tack adhesive exceeds the AAMA 711 minimum for adhesion in peel
- Adheres to damp surfaces
- Installed in temperatures as low as 0° and as high as 120°F

FLEXIBLE WRAP SYSTEMS

FireDam™



Fire Barrier Duct Wrap 615+

· Manufactured with a man-made vitreous spun fiber, a calcium magnesium silicate (CMS) wool

technology which is bio-soluable, allowing for low thermal transfer properties in a lightweight, low profile, easy to apply product

Ladders & Lighting



The Pro's Choice! **Productivity, Durability & Safety**

Type IA Fiberglass Stepladders

- 300lb. & 375lb. duty rated
- Slip-resistant TRACTION-TRED® steps
- Heavy duty aluminum HolsterTop®
- EDGE® bracing system



- Exclusive ALFLO® rung joint means TWIST-PROOF® performance
- 300lb Load Capacity, Type IA Duty Rating
- 1-5/8" slip-resistant TRACTION-TRED® D-rungs
- Size 16' to 40'



Portable & Telescoping Tripod

Southwire

Handheld



• 16/3 Metal Shield with Grounded Outlet and Switch



All-purpose vinyl outdoor

Multi-outlet Tri-Power



Podium Ladders

- 300lb Load Capacity, Type IA Duty Rating
- 375lb Load Capacity, Type IAA Duty Rating
- · Ideal for working at fixed heights and is easier to maneuver than scaffolds or lifts
- 4X Work Zone allows you to work facing any direction





800 456-2658

email: sales@tannerbolt.com

www.tannerbolt.com

Halogen



The United Abrasives Difference American Made. Industrial Grade.



Why Buy United Abrasives?

Last longer.

Unlike many abrasive manufacturers, UA uses premium grains, and never use inferior fillers or bonding agents. With durable abrasives that continue to perform over time, you avoid frequent re-orders and costly downtime.

Safer.

The United Abrasive product line doesn't include cut-rate abrasives because, frankly, cut-rate abrasives are accidents waiting to happen. When you're buying United Abrasives, you're buying the best.

High quality, all the time.

UA uses premium heavy duty fiberglass reinforcement to ensure their abrasives last longer and perform better.

Made in the USA.

At manufacturing facilities in Connecticut and Florida, UA employs state-of-the-art equipment and rigorous quality control testing.

GRINDING WHEELS

1/4" Wheels - Type 27 & Type 28

- Ceramic aluminum oxide grain
- · Aluminum oxide grain
- Silicon carbide grain
- Tough zirconium grain



1/8" Pipeline Wheels

 Premium performance cutting and light grinding for the toughest applications



Bench Wheels

- Green silicon carbide grain for ferrous and/or non-ferrous metals
- Aluminum oxide grain for ferrous metals



Flexible Grinding & Blending

- Grind and blend welds in one-step
- Cool grinding and blending



GRINDING WHEELS (cont.)

Type 11 Cup Stones

- Aluminum oxide grain for ferrous metals
- Zirconium grain for stainless steel
- Silicon carbide grain for concrete, masonry and stone
- Combination aluminum oxide and silicon carbide grain



CUTTING WHEELS

.045 Type 1 & Type 27

- Rough/High Pressure Cutting
- Thin Gauge Cutting
- General Cutting



.090 Cutting/Notching Wheels, .095 Combo Wheel

- High performance cutting, notching, deburring, and light grinding for the toughest applications
- Tough zirconium grain for stainless steel
- · Aluminum oxide for ferrous metals



3/32" & 1/8" Cutting Wheels

- Combines fast cutting and long life
- Aggressive cutting performance over a wide range of applications
- Extremely durable and self-sharpening for long life and cooler cut



Chop Saw Wheels

- Steel Worker[®]
- Iron Worker[™]
- EZ-Chop Attacker[®]
- EZ-Chop®

WIRE BRUSHES

Powered Wire Brushes

- · Knot wire wheels
- Knot and Crimped wire wheels
- · Pipeline brushes
- Small & Large cup brushes
- Bench wire wheels
- End brushes

COATED ABRASIVES **Abrasive Discs**

Fiber Discs

- Paper Discs
- Cloth & Laminated Discs



Flap Discs & Flap Wheels

- Regular density- fiberglass & plastic backing
- High density fiberglass & plastic backing
- Non-woven & Interleaf flap discs
- Trimback & Mini flap discs



Abrasives Sheets & Shop Rolls

- Handy, Industrial & Mini shop rolls
- Cloth & Paper Sheets
- · Sanding sponges for drywall



Coated Abrasive Belts

- Aluminum oxide-closed & open coat
- · Heavy duty closed coat for non-ferrous



NON-WOVEN

Unitized Wheels & Convolute Wheels

- · Unitized- cleaning, finishing and polishing
- · Convolute- deburring, blending, and weld polishing



Discs

- Heavy deburring, removing weld spatter
- · Blending tool/mill marks, rust removal,
- Removing coating/adhesives
- · Blending scratch patterns



Sait-Strip[™] Products

- Fast, safe removal of surface contaminants
- Excellent for cleaning welds, removing corrosion, rust, scaling, and blending
- Great for removing paints, varnishes and sealants from difficult to reach surface



Hand Pads

- · Light duty
- For light cleaning and polishing





email: sales@tannerbolt.com





Cutting Tools

Champion Cutting Tools Corp.The Champion Edge: Serving Professionals with Professional Grade Products and Services

Champion Cutting Tool Corp has been dedicated to serving professionals with industrial grade products and services since 1897. During World War II, Champion supplied the U.S. military with twist drills and countersinks. Following the war, the product range was expanded to include a broader range of drills, end mills, taps, dies, annular cutters, magnetic drill presses and masonry tools, all engineered for maximum performance.

Innovative Solutions

Providing tools that increase productivity and deliver exceptional results. Champion Cutting Tool Corp is recognized for products which are engineered to last longer and cut more holes.

DRILLS

Industrial quality consistently measuring up to the highest standards. - designed for generating the lowest cost per hole. Available in high-speed steel, cobalt and carbide suit the application needed. From #80 micro-drills which are the width of a hair to 3-1/2" taper shank drills

Jobber Drills- General purpose, Heavy Duty, Cobalt, Reduced Shank, Screw Machine, Silver & Deming, Screw Extractors, Extra Length Drills

STEP DRILLS

Titanium nitride coated, hex shank, split point, two-flute step drills provide fast accurate drilling of multiple diameters with one cutting tool. Excellent in electrical, plumbing and professional trades.

REAMERS

Align, de-bur and enlarge holes with an extensive range of bridge reamers, car reamers, adjustable blade reamers and chucking reamers.



CARBIDE TIPPED HOLE CUTTERS

The best method for drilling holes in 1/8" sheet metal or steel plate up to 1" thick. CT3, CT5 and CT7 and CT9



hole cutters give you quick, clean, bur-free holes in seconds.

BURS



Industrial grade, carbide burs for industries from aerospace to automotive, transportation, defense, and welding industries. Over 250 sizes of double-cut, long, miniature burs, and bur kits.

COUNTERSINKS



Zero flute, single flute, and three flute countersinks for fixed and portable countersinking, chamfering and de-burring.

TAPS & DIES

Combination drill & tap, spiral point qun taps, high speed hand taps, pulley taps, pipe taps, hex dies, tap wrenches and die stocks.



THREADING TOOLS

New XLT Tapper power tapping system for high production threading of holes. Perfect complement to our heavy duty XL22 taps.

END MILLS

Full range of end mills in HSS, cobalt, and solid carbide end mills for machining in Bridgeport-type or CNC milling machines.





(CHAMPION)

RZR CERMET CIRCULAR SAW BLADES

Ideal for cutting steel plate, angle iron, pipe, all thread, and more.

Longer tool life and smoother, bur-free cutting than carbide.



MAGNETIC DRILL PRESSES

The RotoBrute system is the quickest method for drilling large diameter holes. New SB35 SmartBrute Automatic Magnetic Drill for consistent drilling and increased productivity on the job.



ANNULAR CUTTERS

RotoBrute carbide tipped and high-speed steel annular cutters are the choice of steel fabricators when drilling large diameter holes in steel in structural steel beams, plate, in the shop or in the field.

SPECIALITY DRILLS

Glass & tile drills, carbide drills, sheet metal cutters, multi-purpose drills and hole cutters



SETS

Drill Sets, Tap & Die Sets, Bur Kits, Reamer Sets, S&D Sets -Champion offers an array of sets for the mechanical, electrical and professional trades.





800 456-2658

email: sales@tannerbolt.com



Premium Sawing Solutions

M. K. Morse has just one focus for over fifty years... make better saw blades and accessories. They don't make machinery or other products. M. K. Morse does one thing and they do it well. For generations, workers have relied on The M. K. Morse Company to provide quality, affordable, American-made tools that help them be safer, more productive, and more confident with the work at hand.

Single-minded devotion has led to some unique innovations over the years. Mostly it has led to a relentless march to improve value. M.K. Morse is constantly looking for ways to build even more durability into their blades. The result is a collection of high value blades that top the charts in performance and quality.

Industrial, construction, and demolition companies throughout the world use M.K. Morse blades. Their state-of-the-art manufacturing plant is totally integrated. This unique ability to control the total process makes it easier for them to meet tight production deadlines and control costs. Tanner customers get the benefits of a high quality, high value product, delivered promptly to your factory facility or jobsite.





HOLE SAWS & ACCESSORIES













Hand Tools & Storage

KNAACK DEWALT

STANLEY.







KNAACK

JOBMASTER® Chests offer secure and durable tool storage solutions that are easy to handle, and can be moved around the jobsite or into a

work vehicle with minimal effort. As the strongest single deadbolt-style locking mechanism, the WATCHMAN® IV Lock System keeps

all your tools safely protected. Piano Boxes are available in a variety of sizes that feature 16-gauge steel body construction and fully arc-welded seams for added strength. Complete with 12-gauge caster-ready skids, seven-gauge cover tangs and ergonomically designed recessed handles, JOBMASTER® Chests are designed to keep your jobsite organized and secure so that you can be more efficient.

- Additional reinforcement between the lock and the side housing
- Stronger protection against pry-ins bigger, better hinges
- Four-way skids allow access from any side, for easy and fast transport.

STORAGEMASTER® Chests

- · New 3-point latch with WATCHMAN® IV Lock System
- New Power Pass™ Electrical Pass-Thru-Easy, weatherproof power cord access
- 4-way skids allow access from any side, for easier and faster to transport
- the side housing
- durability

<u>IRWIN</u>

The Choice of Professional



STANLEY.

Since 1843, STANLEY has set the standard for excellence. No company on earth has a stronge or more compelling history of delivering the hardworking, innovative, powerful tools that help professionals around the world build, repair, and protect the world's most valuable objects.

Measuring & Layout

- Tape Measures
- Long Tape Rules

Knives & Blade

- Laser Distance Measurers
- Chalk Line Reels & Chalk
- Stud Sensors

Squares

Folding Sawhorses



- Additional reinforcement between the lock and
- Improved hinges & ball stud bracket added strength reduces potential breakage & improves

Laser Levels

•I-Beam Levels

· Ball Peir

Soft Face

• Nail

Tradesmen Since 1924

- The Original Vise-Grip
- Locking Clamps
- Groovelock Pliers
- · Quick-Grip Bar Clamps
- Groove & Slip Joint Pliers





· Claw Bars Pry Bars

 Punches Chisels

Saws

Levels

Box Beam Levels

Torpedo Levels

Hammers

Anti-Vibe[®]

Framing

Sledge

Drywall

- Hand



Hand-Held Vacuum Cups

- WPG 8" Flat with Metal Handles
- WPG 10" Concave with Metal Handles





DEWALT

The ToughSystem® cases are the ideal tool storage units, featuring a durable and thick structural



foam box wall in addition to the integrated water seal and central locking mechanism.

- · Durable structural foam box walls give robust structure to the stand alone units
- Integrated water seal in units for protection and long life of contents and equipment



· Metal carriers with ad justable foldable brackets allows tailored configuration

- · Central locking mechanism secures the box to the frame
- IP65 rating water and dust resistant
- The DS400 also has an inner vertical storage for hand tools

PROTO

Industrial Strength, World's Safest Tools, Made In America. Over 100 years strong and still growing; No one makes tools better, more durable or safer.

Jab

- Ratchets
- · C-Clamps
- Torque Wrenches
- Impact Sockets
- Wrenches
- Pliers/Wire Strippers







email: sales@tannerbolt.com



Support, Protection and Hardware

(O)LiftAll[®]



HOISTS

Columbus McKinnon manufactures and markets a wide range of hoists and overhead cranes for use in a variety of industries around the world. From the 550 lb. capacity Series 602 mini ratchet lever hoist that can fit in your lunch box, to the 60-ton, high-capacity LodeKing electric wire rope models, CM has the right hoist for your application. Tanner carries a full line of CM manual hoists, both hand chain and lever tools, and an extensive line of powered hoists, including electric and pneumatic chain and wire rope hoists.

SHACKLES

When it comes to shackles, Columbus McKinnon provides the strongest and most reliable products on the market. Manufactured through a state-of-the-art forging process in Chattanooga, Tennessee, CM shackles are available in a variety of styles and materials for virtually any rigging application. Tanner carries a wide variety of CM shackles from carbon, alloy or super strong shackles in screw pin, bolt, nut & cotter, or round pin styles.

RIGGING HARDWARE

Whether you need specialized overhead lifting hardware or products to manipulate and secure wire rope, CM has a large selection of rigging hardware that's strong, durable and reliable. Designed to help you lift and position materials safer and easier, Tanner carries a variety of CM specialty overhead lifting hooks, lugs, rings, links, adjustable hardware and wire rope compression




hardware for all your rigging and load handling needs.

WEB SLINGS

Web Slings

Lift-All manufactures the widest variety of slings to save you time and money. Engineered for the quality you expect and the safety you need a yellow and a gray web sling.



- Wide-bearing surface for stability of load
- Nylon to reduce shock loading or Polyester for better load control
- Tuff-tag provides required OSHA information for the life of the sling
- Red core yarn in all sling webbing to aid in inspection process
- Tuff-Edge® II, Webmaster® 1600, Webmaster® 1200 and Dura Web

Roundslings

- Engineered with endless loops of yarn
- Load-bearing core yarns protected by a tubular jacket
- · No loss of strength from abrasion to cover
- · Light weight reduces fatigue and strain

Roundslings (cont.)

- Tuff-tag provides serial numbered identification for traceability
- Polyester and high performance Aramid
- Tuflex® Color coded capacities for quick identification
- KeyFlex The strongest and lightest in the world

Wire Rope Slings

- · Least expensive per capacity of all steel slings
- Good abrasion resistance increases useful life of sling
- IWRC can be used at temperatures up to 400° F
- · Countless combinations of sling terminations to fit specific lift requirements
- Available in wire core for strength and fiber core for flexibility
- · Numerous body constructions for variety of applications
- Permaloc slings have reserve strength should the sleeve become damaged in use

SLING PROTECTION

- The number one cause of synthetic sling failure is cutting
- · Lift-All offers a family of sling protection to protect both sling and load from damage
- Increases sling life
- Both Edge Defender and our patented Sling Shield are

designed to protect sling from cutting

· Wide variety of wear pad material and styles to reduce sling abrasion









Power Tools for Professionals



Bosch Tool Corporation is a world leader in the design, manufacture and sale of power tools, rotary and oscillating tools, power tool accessories, laser and optical leveling devices, and range finding tools. As a manufacturing pioneer with more than a century's worth of experience, the Bosch name has become synonymous with engineering excellence.

Bosch develops innovative, high quality power tools that are quaranteed to produce professional results in all fields of craftsmanship. Our tools are reliable, powerful and robust, fulfill the highest demands, and make your work easier. Our Bosch cordless tools excel especially due to their long lifetime, high performance capability, and very long runtime.



HAMMER & HAMMER DRILLS

SDS-plus® Rotary Hammers

SDS-max® Rotary Hammers

SDS-max® Combination Hammers



Corded Hammer Drills



CORDLESS POWER TOOLS







Cordless Convenience, Corded Performance

The cordless power tool story at Bosch extends a legacy

built on quality products that stand the test of time, offer industry-driving innovation and deliver professional performance. These are toolsthat last, with best-in-class power and innovative features; professional power tools that are engineered for today and tomorrow.

SAWS

Circular Saws

Worm Drive Saws

Reciprocating Saws





GRINDERS

Small Angle Grinders

Large Angle Grinders







Tuckpointers



Concrete Surfacing Grinders





800 456-2658

email: sales@tannerbolt.com



DEWALT

DEWALT Guaranteed Tough®

DEWALT® Tools are engineered and built by pros to get the toughest jobs done. When you use DEWALT® Tools you work with confidence because DEWALT® Tools are Guaranteed Tough® and created to support the professional. From construction to automotive, woodworking and metalworking to electrical - DEWALT® has a line of tools that support the professional and get the job done.

CONCRETE & MASONRY



DEWALT® Concrete & Masonry solutions are built for the professional contractor. With laser focus on drilling speed, durability, ergonomics and runtime (on cordless tools), DEWALT® solutions are built to get the job done.

DEWALT's PERFORM & PROTECT™ line of tools and accessories is YOUR FIRST LINE OF DEFENSE™ on the

job. They are designed to provide a high level of one or more of the following:



dust containment, control, or low vibration, without sacrificing performance.

CONTROL

Tools can bind up in normal drilling or cutting applications that can cause injury to the user or damage the tool.

The E-Clutch® system provides enhanced control to the user in a bind up situation and can help minimize sudden torque reaction compared to standard clutches alone. The Active Vibration Control® technology employed delivers reduced user vibration for less user fatigue and greater productivity.

DUST CONTAINMENT

120+ Ways to become Table 1 OSHA Compliant (1926.1153)

Reduce dust on the jobsite and avoid fines by getting compliant with a range of DEWALT® tools and accessories.

Operate and maintain tool in accordance with manufacturer's instructions to minimize dust emissions.

Accessories And Shrouds

Use drill or grinder equipped with commercially available shroud or cowling with dust collection system.

Dust collector must provide the airflow recommended by the tool manufacturer, or greater, and have a filter with 99% or greater efficiency. Dust collector must have a cyclonic pre-separator or filter-cleaning mechanism. Cleaning/drilling holes requires a vacuum with a HEPA filter.



METALWORKING

DEWALT® Metal Working tools include Grinders, Shears, Nibblers, Polishers, Chop Saws, Multicutter Saws, Cut-Off Machines, Bench Grinders and Drill Bit Sharpeners. All DEWALT®Metal Working tools are built for maximum toughness against metal.



POWER OF CORDED | FREEDOM OF CORDLESS

FLEXVOLT



Introducing the next level of power one battery two voltages. The world's first battery that automatically changes voltage when you change tools.The FLEXVOLT[™] battery is backwards compatible with all our 20V MAX* tools so you *get up to 4x theruntime. The FLEXVOLT™ system* brings you the future of power with cordless tools unlike anything you've ever experienced.



800 456-2658

email: sales@tannerbolt.com

www.tannerbolt.com



60-01 55th Drive, Maspeth, NY 11378 718 786-2050

THE TANNER BUCKET OF BOLTS SOLUTION

THE PROJLEM



Tanner offers a solution to prevent product loss at the job site due to spillage and broken cardboard boxes.

Specially developed with the contractor in mind, Tanner's Bucket of Bolts[™] are packaged in 3-1/2 gallon plastic pails with a sturdy handle and reusable screw type top.

The Bucket List;

FASTENERS

Self-Drilling Screws Concrete Screws Hex Tap Bolts Hex Head Lag Bolts Hanger Bolts Hex Nuts

Flat & Lock Washers

ANCHORS

Sleeve Anchors Flat Phillips Wood Screws

Frame Fixing Anchors Self-Piercing Screws Double Expansion Shields

Sheet Metal Screws Lag Shields

Machine Screws Zamac Nailin Drive Anchors


> Plastic Anchors Zip-It Wall Anchors

Toggle Bolts

For a complete bucket list, please visit; www.tannerbolt.com



THE TANNER SOLUTION





Worldwide Leaders of Innovative Anchors and Power Tools

NOW UNITED UNDER ONE BRAND:




ENGINEERED BY POWERS



Taking Fastening Innovation To A New Level!








New Anchors Upgraded Data

Updated Approvals

Increased Range











Trusted Firestopping Products and Systems from 3M

We help you solve firestop and fire prevention problems with proven fire prevention methodology, and worldclass training and support.





Innovative Cutting Tool Solutions































Drills • Reamers • Carbide Tipped Cutters • Carbide Burs • Taps • Magnetic Drill Presses • Annular Cutters & much more











RUGGED, INEXPENSIVE, AND CONVENIENT LEVELING AND ALIGNMENT AIDS FOR THE GLASS AND CONSTRUCTION INDUSTRY

Shim It Once and Done. **SAVE TIME AND MONEY!**

Grove Products, Inc. has the perfect shim for every job every time.



Looking for the right shim?

Grove Products, Inc. has the perfect shim for all your shimming needs.

With color-coded shims and solid thicknesses, the right shim can be easily applied for perfect allignment. No guesswork or realigning. Our shims save you time and money.

Free Samples are Available Upon Request.


Grove Products, Inc. is the leading producer of plastic structural shims. We have been in business since 1962, making shims since 1975, our family-owned business provides prompt, personalized attention to each order. In addition to our large line of in-stock shims, we will custom fabricate parts to meet your unique requirements. Unlike many competitors, our shims are solid and do not have hollow voids, so you can depend on them in crucial, load-bearing conditions.

























Bridges Curtain walls

The Power to Build Homes







Buildings Roadways





Tanner features a wide variety of high quality, code-listed anchoring and fastening solutions from Simpson Strong-Tie.

Mechanical Anchors

Titen HD® heavy-duty screw anchors

Anchoring Adhesive Solutions

AT-XP

Acrylic for all weather conditions

SET-XP

High-strength epoxy

Dustless System Extraction

NEW! Speed Clean DXS drill bit Code-listed for exclusive use with SET-XP and AT-XP

Strong-Drive® Metal Screws

XMQ114S1224

Steel decking

X1S1016

Self-drilling steel decking

PPSD11516S0818

Subfloor/sheathing to cold-formed steel

FPHSD34S1016

Cold-formed steel framing

CBSDQ158S

Collated metal screw

DWFSDQ114PS

Collated drywall-to-CFS screw

QuikDrive®

Auto-Feed Screw Driving Systems

PR0200G2D25K

Drywall to wood or steel

PR0250G2D25K

Subfloor to wood or steel

Attachment Tools

QDPROPHG2


Fasten cod-formed steel framing

QDPROSD150G2

Metal roofing and steel decking



©2017 Simpson Strong-Tie Company Inc. TB17






IS STAINLESS STEEL YOUR BEST CHOICE?

For outdoor applications requiring a 30-year service life, stainless steel was the only viable solution...until now! Unistrut has developed a new proprietary high-performance coating called Unistrut Defender!

- Protects outdoor applications for up to 30-years
- 3X the service life of hot-dip galvanized1
- Offers SIGNIFICANT savings over stainless steel
- ONLY available from Unistrut



Why invest in stainless steel when you have a high performance alternative? **Unistrut Defender**

Based on average ASTM B117 salt spray test results from an independent, accredited test laboratory. Typical application design life is sourced from a number of different publications and is not true for all applications. Reference your project-specific requirements and environment for a true performance estimate.

©2016 Atkore International, Inc. All rights reserved.









A PART OF 🛕 atkore

vacuum cups by **Wood's Powr-Grip®**

put a handle where you need it!

8" FLAT VACUUM CUP with Metal Handle [N4950]

✓ Ideal for lifting flat, nonporous material

Load Capacity: 125 lbs per cup

9" FLAT VACUUM CUP with Metal Handle [N5450]

- ✓ Ideal for lifting flat, nonporous material such as flexible sheet metal
- ✓ Load Capacity: 150 lbs per cup

10" CONCAVE VACUUM CUP with Metal Handle [N6450]

- ✓ Ideal for lifting curved or irregular, nonporous material
- ✓ Load Capacity: 175 lbs per cup

vacuum Lifters for material handling Intelli-Grip

P11104DC3

CHANNEL LIFTER 700 (DC)

- ✓ Manual Rotation and Manual Tilt
- ✓ Dual Vacuum System

MRT411LDC3

MANUAL ROTATOR / TILTER 700 (DC)

- ✓ Load Capacity: 700 lbs
- ✓ Dual Vacuum System

MRTA811LDC3 QUADRA-TILT™ ROTATOR 1400 (DC)

- ✓ Load Capacity: 1400 lbs
- ✓ Manual Rotation and Quadra-Tilt Linkage
- ✓ Dual Vacuum System













800 456-2658

email: sales@tannerbolt.com

